

1-1-2006

The Evolution of Neutral Gas in the Universe

David Turnshek
University of Pittsburgh

Sandhya Rao
University of Pittsburgh

Eric Monier
The College at Brockport, emonier@brockport.edu

Daniel Nestor
Cambridge University

Anna Quider
University of Pittsburgh

Follow this and additional works at: http://digitalcommons.brockport.edu/phs_facpub



Part of the [Physics Commons](#)

Recommended Citation

Turnshek, David; Rao, Sandhya; Monier, Eric; Nestor, Daniel; and Quider, Anna, "The Evolution of Neutral Gas in the Universe" (2006). *Physics*. Paper 1.
http://digitalcommons.brockport.edu/phs_facpub/1

This Article is brought to you for free and open access by the School of Science and Mathematics at Digital Commons @Brockport. It has been accepted for inclusion in Physics by an authorized administrator of Digital Commons @Brockport. For more information, please contact kmyers@brockport.edu.

The Evolution of Neutral Gas in the Universe

David Turnshek,¹ Sandhya Rao,¹
Eric Monier,² Daniel Nestor,³ and Anna Quider¹

¹University of Pittsburgh (turnshek@pitt.edu), ²SUNY Brockport, ³IoA, Cambridge University

Abstract. We give references to some of our work on the properties and evolution of the neutral gas component of the Universe (see reference list). The bulk of the observed neutral gas has been detected by identifying intervening damped Ly α (DLA) quasar absorption-line systems with $N(\text{H}) \geq 2 \times 10^{20}$ atoms cm^{-2} . We also present some initial results from a program to identify DLA absorbers near redshift $z = 0.5$ using Hubble Space Telescope ACS prism spectra (see Figure 1).

Keywords. quasars: absorption lines, galaxies: evolution




Figure 1. Results from HST ACS P200L prism observations of DLA systems previously measured using higher-resolution HST UV spectra. The top panel displays the two (dithered) prism images of the extracted high- $N(\text{HI})$ DLA spectrum shown in the first bottom panel. The two extracted spectra in the second and third bottom panels have lower- $N(\text{HI})$ DLAs. There is excellent agreement between the HST ACS prism results and the higher resolution results reported in Rao *et al.* (2006) for the two strongest systems, while the weaker system shows some discrepancy.

Hopkins, A, Rao, S., & Turnshek, D. 2006, *ApJ*, 630, 108

Menard, B., *et al.* 2006, in preparation

Nestor, D., Turnshek, D., Rao, S., & Quider, A. 2006, *ApJ*, in press

Rao, S., *et al.* 2003, *ApJ*, 595, 94

Rao, S., Turnshek, D., & Nestor, D. 2006, *ApJ*, 636, 610

Turnshek, D., *et al.* 2005, IAU Symp 199 (CUP), p104 (astro-ph/0506701)

Zibetti, S., *et al.* 2006, astro-ph/0609760