

The College at Brockport: State University of New York

Digital Commons @Brockport

Lesson Plans

CMST Institute

10-3-2006

The Coordinate Plane

Miriam Santana-Valadez

The College at Brockport

Follow this and additional works at: https://digitalcommons.brockport.edu/cmst_lessonplans



Part of the [Physical Sciences and Mathematics Commons](#), and the [Science and Mathematics Education Commons](#)

Repository Citation

Santana-Valadez, Miriam, "The Coordinate Plane" (2006). *Lesson Plans*. 310.

https://digitalcommons.brockport.edu/cmst_lessonplans/310

This Lesson Plan is brought to you for free and open access by the CMST Institute at Digital Commons @Brockport. It has been accepted for inclusion in Lesson Plans by an authorized administrator of Digital Commons @Brockport. For more information, please contact digitalcommons@brockport.edu.

Unit 1

1.8 The Coordinate Plane

DO NOW 1.7 Mixed Exercises 1-6

I Complete


I Plot the points:

- a) $A(-2,3)$
- b) $B(2,-4)$
- c) $C(-3,-3)$
- d) $D(3,2)$

II Give the quadrant for the points given

A _____ C _____
B _____ D _____

III Find the sign of x and y for each quadrant



1.7 Practice

Practice 1-7: Example Exercises

1. 15 2. 18 3. 15 4. 45 5. 11 6. $x = 6, y = 150$

7. $x = 8, y = 40$ 8. $\angle 1$ and $\angle 3, \angle 2$ and $\angle 4$ 9. any two of the following pairs: $\angle 1 + \angle 2; \angle 2 + \angle 3; \angle 3 + \angle 4; \angle 4 + \angle 1.$ 10. angles 1 and 3, angles 2 and 4 11. 180

12. supplementary 13. 180 14. supplementary

15. Let $m\angle 1 = m\angle 3 = x$. Then $m\angle 2 = 180 - x$ and $m\angle 4 = 180 - x$. So $m\angle 2 = m\angle 4$.

1.7 Practice

Practice 1-7: Mixed Exercises

1. 30 2. 15 3. 30 4. 6 5. 16 6. 9 7. false 8. true
9. true 10. true 11. false 12. false 13. false 14. true
15. true 16. false 17. false 18. $m\angle PMO = 55$;
 $m\angle PMQ = 125$; $m\angle QMN = 55$ 19. $m\angle BOD =$
 $m\angle COE = 90$; $m\angle BOC = m\angle COD = 45$;
 $m\angle AOB = m\angle DOE = 45$ 20. $m\angle BWC =$
 $m\angle CWD$; $m\angle ANB + m\angle BWC = 180$; $m\angle CWD +$
 $m\angle DNA = 180$; $m\angle ANB = m\angle AND$

Objective 1.8

- Students will find the distance between two points and the midpoint of a segment in the coordinate plane.

Essential Question

How do you find the distance between two points?
How do you find the midpoint of a segment ?

Vocabulary

- ❑ **Coordinate plane:** Plane where two number lines intersect at a 90 degree angle.
 - ❑ **Quadrants:** Each one of the four sections in the coordinate plane. Named
 - ❑ **X-axis:** horizontal number line.
 - ❑ **Y-axis:** vertical number line
 - ❑ **Ordered Pair:** Coordinates of a point on a coordinate plane. (x, y)
-


The Distance Formula

- The distance d between two points $A(x_1, y_1)$ and $B(x_2, y_2)$ is

$$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

Example 1 Page 54 TE


- Luisa takes the subway from Oak Station to Jackson Station each morning. Oak Station is 1 mi west and 2 mi south of City Plaza. Jackson Station is 2 mi east and 4 mi north of City Plaza. How far does she travel by subway?
-



6.7082 mi

Example 1b

Symphony Station is 1mi east and 2 mi north of City Plaza and Elm Station is 3 mi west and 6 mi south of City Plaza. How far is Symphony Station from Elm Station?



The Midpoint formula

The coordinates of the midpoint M of \overline{AB} with endpoints $A(x_1, y_1)$ and $B(x_2, y_2)$ are the following

$$M = \left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2} \right)$$

Example 2 page 55 TE

- Find the coordinates of the midpoint M of QS with endpoints $Q(3,5)$ and $S(7,-9)$

$M(5,-2)$

Problem 2b page 55 TE

- Find the coordinates of the midpoint M of AB with endpoints $A(2, -5)$ and $B(6, 13)$

$M(4, 4)$

1.8 Practice

TOD

Work book

Practice 1.8 Example Exercises (odd)

Homework

Practice 1.8 Example Exercises (even)

1.8 Practice

Practice 1-8: Example Exercises

1a. $\sqrt{29} \approx 5.4$ 1b. $6\sqrt{2} \approx 8.5$ 2. $2\sqrt{10} \approx 6.3$

3. 10 4a. They are equal. 4b. x_1 5. $(\frac{1}{2}, 7)$ 6. $(0, 0)$


7. $(-\frac{1}{2}, 13)$ 8. $(-14, 9)$ 9. $(-\frac{1}{2}, \frac{1}{2})$ 10. $\sqrt{34} \approx 5.8$

11. $(-0.75, 4.875)$ 12. ≈ 9.76 13. $(-2.5, 3)$

14. $\sqrt{73} \approx 8.5$

Practice 1-8: Mixed Exercises

1.-5.



6. $5\sqrt{2} \approx 7.1$ 7. $2\sqrt{17} \approx 8.2$ 8. 12 9. 8 10. 12

11. $\sqrt{26} \approx 5.1$ 12. (5, 5) 13. $(\frac{1}{2}, 1)$ 14. $(10\frac{1}{2}, -5)$

15. $(-2\frac{1}{2}, 6)$ 16. (-0.3, 3.4) 17. $(2\frac{7}{8}, -\frac{5}{8})$ 18. (5, -2)

19. (4, 10) 20. (-3, 4) 21. Yes; $AB = BC = CD =$

$DA = 6$ 22. $\sqrt{401} \approx 20.025$